



antenall

ANTENALL d.o.o.,

Ljiljane Krstić 24, 11283 Zemun

Tel: +38111 6-356-356

office@antenall.rs

CENOVNIK OPTIČKIH KABLOVA I PRATEĆE OPREME



ANSIEC


Važi od: 13.10.2025.










www.antenall.rs






OPTIČKI KABLOVI

NAZIV ARTIKLA	Kat. br.	Karakteristike	CENA EUR (gotovinski)	CENA EUR (racun bez PDV)
<u>Kabl za unutrašnju montažu 1 vlakno</u>  	6271	Kabl za unutrašnju montažu 1 vlakno Optički kabl za unutrašnju montažu 2*0.5FRP, G657A1 LSZH 1 vlakno Dužina: 1 Km, Boja: bele boje (bez konektora). Single mode, OS2 standard. <u>Slabljenje:</u> 1310nm, $\leq 0.35\text{dB/km}$ 1550nm $\leq 0.20\text{ dB/km}$ Ugradna temperatura: -20~+60 °C Radna temperatura: -40~+70 °C	0,10	0,08
<u>Kabl za unutrašnju montažu 2 vlakna</u>  	6272	Kabl za unutrašnju montažu 2 vlakna Optički kabl za unutrašnju montažu 2*0.5FRP, G657A1 LSZH 2 vlakna Dužina: 1 km, Boja: bele boje (bez konektora). Single mode, OS2 standard. <u>Slabljenje:</u> 1310nm, $\leq 0.35\text{dB/km}$ 1550nm $\leq 0.20\text{ dB/km}$ Ugradna temperatura: -20~+60 °C Radna temperatura: -40~+70 °C	0,13	0,11
<u>Kabl za unutrašnju montažu 4 vlakna</u>  	6274	Kabl za unutrašnju montažu 4 vlakna Optički kabl za unutrašnju montažu 2*0.5FRP, G657A1 LSZH 4 vlakna Dužina 1 km, Boja: bele boje (bez konektora). Single mode, OS2 standard. <u>Slabljenje:</u> 1310nm, $\leq 0.35\text{dB/km}$ 1550nm $\leq 0.20\text{ dB/km}$ Ugradna temperatura: -20~+60 °C Radna temperatura: -40~+70 °C	0,14	0,12
<u>Providni optički kabl na rolni bez konektora</u>  	6310	Providni optički kabl na rolni bez konektora Optički kabl, providni. Dužina : 1km (bez konektora). Single mode, OS2 standard. <u>Slabljenje:</u> 1310nm, $\leq 0.4\text{dB/km}$ 1550nm $\leq 0.3\text{ dB/km}$ Ugradna temperatura: -20~+60 °C Radna temperatura: -40~+70 °C	0,07	0,06

<u>Samonoseći kabl za spoljašnju montažu 2 vlakna</u>  	6273	Samonoseći kabl za spoljašnju montažu 2 vlakna Optički samonoseći kabl za spoljašnju montažu 2*0.5FRP, G657A1 LSZH 2 vlakna Dužina:1 km, Boja : crne boje (bez konektora) Single mode, OS2 standard, sa sajlom Slabljenje: 1310nm, ≤ 0.35dB/km 1550nm ≤ 0.20 dB/km Ugradna temperatura: -20~+60°C Radna temperatura: -40~+70°C	0,16	0,13
<u>ADSS-12-1000m</u>  	8574	ADSS-12-1000m ADSS (Aerial Direct Self-Supporting) kabl je optički kabl koji je namanjen za postavljanje na stubove ili druge nadzemne strukture bez potrebe za dodatnim nosačima. Neoklopljeni optički kabl 12 vlakana, sa više labavih cevi, čeličnom trakom i 10.8mm PE spoljnom izolacijom. Single mode. Slabljenje: 1310nm, ≤0.36 dB/km 1550nm, ≤0.25 dB/km Ugradna temperatura: -20~+60°C Radna temperatura: -40~+70°C Dužina: 1000m	0,72	0,60
<u>Optički kabl 2*0.5+1.0mm čelična sajla</u>  	6032	Optički kabl 2*0.5+1.0mm čelična sajla Optički samonoseći kabl sa čeličnom sajlom, za spoljnu i podzemnu upotrebu, 4 vlakna, LSZH, crni. Dužina: 1km. Single mode. Slabljenje: 1310nm, ≤0.35 dB/km 1550nm, ≤0.20 dB/km Ugradna temperatura: -20~+60°C Radna temperatura : -40~+70°C	0,18	0,15
<u>Optički kabl 6 vlakana, čelična sajla</u>  	6621	Optički kabl 6 vlakana, čelična sajla Optički samonoseći kabl sa čeličnom sajlom, za spoljnu i podzemnu upotrebu, 6 vlakna, LSZH, cat OS2, crni, debljina sajle 1mm. Single mode Dužina: 1 km Slabljenje : 1310nm ≤0.35dB 1550nm ≤0.2dB Ugradna temperatura -5°C ~ +40°C Radna temperatura -40°C ~ 60°C	0,23	0,19

<u>GYFXTH Optički kabl 6FO</u>  	6033	GYFXTH Optički kabl 6FO Optički kabl za spoljnu I unutrašnju montažu. 6 vlakana, preseka 2,0mm centralne labave cevi,sa staklenim vlaknima i 5,8mm spoljašnom izolacijom. Dužina 1km. Single mode. Slabljenje: 1310nm, ≤0.36 dB/km 1550nm, ≤0.25 dB/km Ugradna temperatura: -20~+60°C Radna temperatura: -40~+70 °C	0,42	0,35
<u>GYFXTH Optički kabl 8FO</u>  	6034	GYFXTH Optički kabl 8FO Optički kabl za spoljnu I unutrašnju montažu. 8 vlakana, preseka 2,0mm centralne labave cevi,sa staklenim vlaknima i 5,8mm spoljašnom izolacijom. Dužina 1km. Single mode. Slabljenje: 1310nm, ≤0.36 dB/km 1550nm, ≤0.25 dB/km Ugradna temperatura: -20~+60 °C Radna temperatura: -40~+70 °C	0,48	0,40
<u>GYFXTH Optički kabl 12FO</u>  	6035	GYFXTH Optički kabl 12FO Optički kabl za spoljnu I unutrašnju montažu. 12 vlakana, preseka 2,0mm centralne labave cevi,sa staklenim vlaknima i 5,8mm spoljašnom izolacijom. Dužina: 1km. Single mode. Slabljenje: 1310nm, ≤0.36 dB/km 1550nm, ≤0.25 dB/km Ugradna temperatura: -20~+60°C Radna temperatura: -40~+70°C	0,58	0,48
<u>GYXTW Oklopljeni optički kabl 6FO</u>  	6036	GYXTW Oklopljeni optički kabl 6FO GYXTW Oklopljeni optički kabl 6 vlakana, preseka 2,0mm, centralne labave cevi,čeliična sajla 2*0,7mm + čelična traka i 7,5mm PE spoljnom izolacijom. Dužina 1km. Single mode. Slabljenje: 1310nm, ≤0.36 dB/km 1550nm, ≤0.25 dB/km Ugradna temperatura: -20~+60°C Radna temperatura: -40~+70°C	0,48	0,40

<u>GYXTW Oklopljeni optički kabl 12FO</u>  	6037	GYXTW Oklopljeni optički kabl 12FO GYXTW Oklopljeni optički kabl 12 vlakana, preseka 2,0mm, centralne labave cevi, čelična sajla 2*0,7mm + čelična traka i 7,5mm PE spoljnom izolacijom. Dužina :1km. Single mode. Slabljenje: 1310nm, ≤0.36 dB/km 1550nm, ≤0.25 dB/km Ugradna temperatura: -20~+60°C Radna temperatura: -40~+70°C	0,60	0,50
<u>Optički kabl 12 vlakana</u>  	6825	Optički kabl 12 vlakana Optički kabl 12 vlakana, preseka 2,0mm, materijal PBT. Sa spoljne strane FRP materijal 2*2mm + spoljna jakna materijal PE. Dužina:1km. Single mode. Slabljenje: 1310nm, ≤0.36 dB/km 1550nm, ≤0.22 dB/km Ugradna temperatura: -20~+60°C Radna temperatura: -40~+70°C	0,54	0,45
<u>Neoklopljeni optički kabl 24FO</u>  	6038	Neoklopljeni optički kabl 24FO Neoklopljeni optički kabl 24 vlakana, sa više labavih cevi, čeličnom trakom i 9mm PE spoljnom izolacijom. Dužina: 1km. Singlemode. Slabljenje: 1310nm, ≤0.36 dB/km 1550nm, ≤0.22 dB/km Ugradna temperatura: -20~+60°C Radna temperatura: -40~+70°C	0,83	0,69
<u>Neoklopljeni optički kabl 48FO</u>  	6039	Neoklopljeni optički kabl 48FO Neoklopljeni optički kabl 48 vlakana, sa više labavih cevi, čeličnom trakom i 9mm PE spoljnom izolacijom. Dužina: 1km. Single mode. Slabljenje: 1310nm, ≤0.36 dB/km 1550nm, ≤0.22 dB/km Ugradna temperatura: -20~+60°C Radna temperatura: -40~+70°C	1,20	1,00

OPTIČKI PATCH KABLOVI-SIMPLEX

NAZIV ARTIKLA	Kat. br.	Karakteristike	CENA EUR (gotovinski)	CENA EUR (racun bez PDV)
<u>SC/APC-SC/APC Optički patch kabl 1m</u> 	9700	SC/APC-SC/APC Optički patch kabl 1m Simplex optički patch kabl sa SC/APC-SC/APC konektorima, 1M dužine. Single mode.	1,92	1,60
<u>SC/APC-SC/APC Optički patch kabl 2m</u> 	5992	SC/APC-SC/APC Optički patch kabl 2m Simplex optički patch kabl sa SC/APC-SC/APC konektorima, 2M dužine. Single mode.	2,28	1,90
<u>SC/APC-SC/APC Optički patch kabl 5m</u> 	5993	SC/APC-SC/APC Optički patch kabl 5m Simplex optički patch sa SC/APC-SC/APC konektorima, 5M dužine. Single mode.	2,52	2,10
<u>SC/APC-SC/APC Optički patch kabl 10m</u> 	6282	SC/APC-SC/APC Optički patch kabl 10m Optički patch kabl SC/APC-SC/APC 10m simplex (sa konektorima). Single mode.	3,00	2,50

<u>SC/APC-LC/APC Optički patch kabl 1m</u>  	9701	SC/APC-LC/APC Optički patch kabl 1m Simplex optički patch kabl sa SC/APC-LC/APC konektorima, 1M dužine. Single mode.	1,92	1,60
<u>SC/APC-LC/APC Optički patch kabl 2m</u>  	5996	SC/APC-LC/APC Optički patch kabl 2m Simplex optički patch kabl sa SC/APC-LC/APC konektorima, 2M dužine. Single mode.	2,28	1,90
<u>SC/APC-LC/APC Optički patch kabl 5m</u>  	5997	SC/APC-LC/APC Optički patch kabl 5m Simplex optički patch kabl sa SC/APC-LC/APC konektorima, 5M dužine. Single mode.	2,52	2,10
<u>SC/APC-LC/APC Optički patch kabl 10m</u>  	6286	SC/APC-LC/APC Optički patch kabl 10m Optički patch kabl SC/APC-LC/APC 10m simplex (sa konektorima). Single mode.	3,00	2,50

<u>SC/APC-LC/UPC Optički patch kabl 1m</u>  	9703	SC/APC-LC/UPC Optički patch kabl 1m Optički patch kabl SC/APC-LC/UPC simplex (sa konektorima), dužine 1m. Single mode.	1,92	1,60
<u>SC/APC-LC/UPC Optički patch kabl 2m</u>  	6296	SC/APC-LC/UPC Optički patch kabl 2m Optički patch kabl SC/APC-LC/UPC 2m simplex (sa konektorima). Single mode.	2,28	1,90
<u>SC/APC-LC/UPC Optički patch kabl 5m</u>  	6298	SC/APC-LC/UPC Optički patch kabl 5m Optički patch kabl SC/APC-LC/UPC 5m simplex (sa konektorima). Single mode.	2,52	2,10
<u>SC/UPC-SC/APC Optički patch kabl 1m</u>  	8575	SC/UPC-SC/APC Optički patch kabl 1m Optički patch kabl SC/UPC-SC/APC 1m simplex (sa konektorima). Single mode.	1,92	1,60

<u>SC/UPC-SC/APC Optički patch kabl 2m</u>  	6288	SC/UPC-SC/APC Optički patch kabl 2m Optički patch kabl SC/UPC-SC/APC 2m simplex (sa konektorima). Single mode.	2,28	1,90
<u>SC/UPC-SC/APC Optički patch kabl 5m</u>  	6290	SC/UPC-SC/APC Optički patch kabl 5m Optički patch kabl SC/UPC-SC/APC 5m simplex (sa konektorima). Single mode.	2,52	2,10
<u>SC/UPC-SC/UPC Optički patch kabl 1m</u>  	6622	SC/UPC-SC/UPC Optički patch kabl 1m Optički patch kabl SC/UPC-SC/UPC 1m simplex (sa konektorima). Single mode.	1,92	1,60
<u>SC/UPC-SC/UPC Optički patch kabl 2m</u>  	6623	SC/UPC-SC/UPC Optički patch kabl 2m Optički patch kabl SC/UPC-SC/UPC 2m simplex (sa konektorima). Single mode.	2,28	1,90

<u>SC/UPC-SC/UPC Optički patch kabl 5m</u>  	6624	SC/UPC-SC/UPC Optički patch kabl 5m Optički patch kabl SC/UPC-SC/UPC 5m simplex (sa konektorima). Single mode.	2,52	2,10
<u>LC/APC-LC/APC Optički patch kabl 1m</u>  	9702	LC/APC-LC/APC Optički patch kabl 1m Simplex optički patch kabl sa LC/APC-LC/APC konektorima, 1M dužine. Single mode.	1,92	1,60
<u>LC/APC-LC/APC Optički patch kabl 2m</u>  	5994	LC/APC-LC/APC Optički patch kabl 2m Simplex optički patch kabl sa LC/APC-LC/APC konektorima, 2M dužine. Single mode.	2,28	1,90
<u>LC/APC-LC/APC Optički patch kabl 5m</u>  	5995	LC/APC-LC/APC Optički patch kabl 5m Simplex optički patch kabl LC/APC-LC/APC sa konektorima, 5M dužine. Single mode.	2,52	2,10

<u>LC/UPC-LC/APC Optički patch kabl 1m</u>  	9704	LC/UPC-LC/APC Optički patch kabl 1m Optički patch kabl LC/UPC-LC/APC 1m simplex (sa konektorima). Single mode.	1,92	1,60
<u>LC/UPC-LC/APC Optički patch kabl 2m</u>  	6292	LC/UPC-LC/APC Optički patch kabl 2m Optički patch kabl LC/UPC-LC/APC 2m simplex (sa konektorima). Single mode.	2,28	1,90
<u>LC/UPC-LC/APC Optički patch kabl 5m</u>  	6294	LC/UPC-LC/APC Optički patch kabl 5m Optički patch kabl LC/UPC-LC/APC 5m simplex (sa konektorima). Single mode.	2,52	2,10
<u>LC/APC-LC/APC Optički patch kabl 10m</u>  	6284	LC/APC-LC/APC Optički patch kabl 10m Optički patch kabl LC/APC-LC/APC 10m simplex (sa konektorima). Single mode.	3,00	2,50

**LC/UPC-LC/UPC Optički
patch kabl 2m**



9607

LC/UPC-LC/UPC Optički patch kabl 2m
Optički patch kabl LC/UPC-LC/UPC sa konektorima 2m simplex.

2,28

1,90

**LC/UPC-LC/UPC Optički
patch kabl 5m**



9608

LC/UPC-LC/UPC Optički patch kabl 5m
Optički patch kabl LC/UPC-LC/UPC sa konektorima 5m simplex.


2,52

2,10

OPTIČKI PATCH KABLOVI-DUPLEX

NAZIV ARTIKLA	Kat. br.	Karakteristike	CENA EUR (gotovinski)	CENA EUR (racun bez PDV)
<u>SC/APC-SC/APC Optički patch kabl 2m</u>  	6275	SC/APC-SC/APC Optički patch kabl 2m Optički patch kabl SC/APC-SC/APC 2m duplex (sa konektorima). Single mode.	3,72	3,10
<u>SC/APC-SC/APC Optički patch kabl 5m</u>  	6276	SC/APC-SC/APC Optički patch kabl 5m Optički patch kabl SC/APC-SC/APC 5m duplex (sa konektorima). Single mode.	4,44	3,70
<u>SC/APC-SC/APC Optički patch kabl 10m</u>  	6281	SC/APC-SC/APC Optički patch kabl 10m Optički patch kabl SC/APC-SC/APC 10m duplex (sa konektorima). Single mode.	5,64	4,70
<u>SC/APC-SC/APC Optički patch kabl 15m</u>  	6299	SC/APC-SC/APC Optički patch kabl 15m Optički patch kabl SC/APC-SC/APC 15m duplex (sa konektorima). Single mode.	6,84	5,70

<u>SC/APC-SC/APC Optički patch kabl 20m</u>  	6301	SC/APC-SC/APC Optički patch kabl 20m Optički patch kabl SC/APC-SC/APC 20m duplex (sa konektorima). Single mode.	8,04	6,70
<u>SC/APC-LC/APC Optički patch kabl 2m</u>  	6279	SC/APC-LC/APC Optički patch kabl 2m Optički patch kabl SC/APC-LC/APC 2m duplex (sa konektorima). Single mode.	3,84	3,20
<u>SC/APC-LC/APC Optički patch kabl 5m</u>  	6280	SC/APC-LC/APC Optički patch kabl 5m Optički patch kabl SC/APC-LC/APC 5m duplex (sa konektorima). Single mode.	4,44	3,70
<u>SC/APC-LC/APC Optički patch kabl 10m</u>  	6285	SC/APC-LC/APC Optički patch kabl 10m Optički patch kabl SC/APC-LC/APC 10m duplex (sa konektorima). Single mode.	5,64	4,70

<u>SC/APC-LC/UPC Optički patch kabl 2m</u>  	6295	SC/APC-LC/UPC Optički patch kabl 2m Optički patch kabl SC/APC-LC/UPC 2m duplex (sa konektorima). Single mode.	3,72	3,10
<u>SC/APC-LC/UPC Optički patch kabl 5m</u>  	6297	SC/APC-LC/UPC Optički patch kabl 5m Optički patch kabl SC/APC-LC/UPC 5m duplex (sa konektorima). Single mode.	4,44	3,70
<u>SC/UPC-SC/APC Optički patch kabl 2m</u>  	6287	SC/UPC-SC/APC Optički patch kabl 2m Optički patch kabl SC/UPC-SC/APC 2m duplex (sa konektorima). Single mode.	3,72	3,10
<u>SC/UPC-SC/APC Optički patch kabl 5m</u>  	6289	SC/UPC-SC/APC Optički patch kabl 5m Optički patch kabl SC/UPC-SC/APC 5m duplex (sa konektorima). Single mode.	4,44	3,70

<u>LC/APC-LC/APC Optički patch kabl 2m</u>  	6277	LC/APC-LC/APC Optički patch kabl 2m Optički patch kabl LC/APC-LC/APC 2m duplex (sa konektorima). Single mode.	3,72	3,10
<u>LC/APC-LC/APC Optički patch kabl 5m</u>  	6278	LC/APC-LC/APC Optički patch kabl 5m Optički patch kabl LC/APC-LC/APC 5m duplex (sa konektorima). Single mode.	4,44	3,70
<u>LC/APC-LC/APC Optički patch kabl 10m</u>  	6283	LC/APC-LC/APC Optički patch kabl 10m Optički patch kabl LC/APC-LC/APC 10m duplex (sa konektorima). Single mode.	5,64	4,70
<u>LC/APC-LC/APC Optički patch kabl 15m</u>  	6300	LC/APC-LC/APC Optički patch kabl 15m Optički patch kabl LC/APC-LC/APC 15m duplex (sa konektorima). Single mode.	6,84	5,70

<u>LC/APC-LC/APC Optički patch kabl 25m</u>  	6302	LC/APC-LC/APC Optički patch kabl 25m Optički patch kabl LC/APC-LC/APC 25m duplex (sa konektorima). Single mode.	9,24	7,70
<u>LC/UPC-LC/APC Optički patch kabl 2m</u>  	6291	LC/UPC-LC/APC Optički patch kabl 2m Optički patch kabl LC/UPC-LC/APC 2m duplex (sa konektorima). Single mode.	3,72	3,10
<u>LC/UPC-LC/APC Optički patch kabl 5m</u>  	6293	LC/UPC-LC/APC Optički patch kabl 5m Optički patch kabl LC/UPC-LC/APC 5m duplex (sa konektorima). Single mode.	4,44	3,70
<u>LC/UPC-LC/UPC Optički patch kabl 2m</u>  	9609	LC/UPC-LC/UPC Optički patch kabl 2m Optički patch kabl LC/UPC-LC/UPC 2m duplex	3,72	3,10

**LC/UPC-LC/UPC Optički
patch kabl 5m**



9610

LC/UPC-LC/UPC Optički patch kabl 5m
Optički patch kabl LC/UPC-LC/UPC 5m duplex

4,44

3,70

**MPO/PC - LC/UPC Optički
patch kabl 2m**



7194

MPO/PC - LC/UPC Optički patch kabl 2m
Optički patch kabl MPO/PC - LC/UPC 12F. Broj vlakana 12. Dužina 2m.





31,08

25,90

PIGTAIL KABLOVI

NAZIV ARTIKLA	Kat. br.	Karakteristike	CENA EUR (gotovinski)	CENA EUR (racun bez PDV)
<u>PIGTAIL LC/APC SM 1m</u>  	5998	PIGTAIL LC/APC SM 1m Optički Patch kabl sa LC/APC konektorom na jednom kraju, 1M dužine. Single mode.	1,08	0,90
<u>PIGTAIL SC/APC SM 1m</u>  	5999	PIGTAIL SC/APC SM 1m Optički Patch kabl sa SC/APC konektorom na jednom kraju, 1M dužine. Single mode.	1,08	0,90
<u>PIGTAIL LC/UPC SM 1m</u>  	7039	PIGTAIL LC/UPC SM 1m Optički Patch kabl sa LC/UPC konektorom na jednom kraju, 1M dužine. Single mode.	1,08	0,90
<u>PIGTAIL SC/UPC SM 1m</u>  	7040	PIGTAIL SC/UPC SM 1m Optički Patch kabl sa SC/UPC konektorom na jednom kraju, 1M dužine. Single mode.	1,08	0,90

RAZVODNE KUTIJE (ZOK)

NAZIV ARTIKLA	Kat. br.	Karakteristike	CENA EUR (gotovinski)	CENA EUR (racun bez PDV)
<u>Razvodna kutija (ZOK) 12 slotova</u>  	6012	Razvodna kutija (ZOK) 12 slotova Optička kutija sa 12 slotova za konektore za spoljnu montažu, plastična. (Mesto za adaptere je predviđeno za 12 SC simplex konektora ili 12 LC duplex konektora). 2-4 (mogućnost probijanja plastike za ukupno 4 uvodnika) Uvodnika za kablove, vezice, termoevčice 6mm x 12. Dimenzije: 245 x 220 x 65mm.	20,88	17,40
<u>Razvodna kutija (ZOK) 24 slotova</u>  	6013	Razvodna kutija (ZOK) 24 slotova Optička kutija sa 24 slotova za konektore za spoljnu montažu, plastična. (Mesto za adaptere je predviđeno za 24 SC simplex konektora ili 24 LC duplex konektora). 2-4 (mogućnost probijanja plastike za ukupno 4 uvodnika) Uvodnika za kablove, vezice, termoevčice 6mm x 24. Dimenzije: 260 x 294 x 95mm.	30,48	25,40
<u>Razvodna kutija (ZOK) 48 slotova</u>  	6014	Razvodna kutija (ZOK) 48 slotova Optička kutija sa 48 slotova za konektore, za spoljnu montažu, plastična. (Mesto za adaptere je predviđeno za 48 SC simplex konektora ili 48 LC duplex konektora) 6 uvodnika za kablove sa prednje strane i 6 uvodnika za kablove sa zadnje strane, vezice, 48 slotova.	54,60	45,50
<u>Optička kutija (ZOK) 2 vlakna</u>  	6015	Optička kutija (ZOK) 2 vlakna Optička kutija sa 2 vlakna, plastična. Mesto za 2 SC simplex adaptera ili 2 LC duplex adaptera. Ne dolazi sa cevčicama.	2,58	2,15

**Optička kutija (ZOK) sa 2
slotova za konektore**



6016

Optička kutija (ZOK) sa 2 slotova za konektore

Optička kutija za spoljnu montažu sa 2 slotova za konektore za spoljnu montažu, plastična (Mesto za adaptere je predviđeno za 2 SC simplex adaptera ili 2 LC duplex adaptera), termocevičice 6mm x2, vezice.

11,88

9,90

**Optička kutija (ZOK) sa 4
slotova za konektore**



6017

Optička kutija (ZOK) sa 4 slotova za konektore

Optička kutija za spoljnu montažu sa 4 slotova za konektore za spoljnu montažu, plastična (Mesto za adaptere je predviđeno za 4 SC simplex adaptera ili 4 LC duplex adaptera), termocevičice 6mm x4, vezice.

13,08

10,90

**Optička kutija (ZOK) sa 6
slotova za konektore**



6018


Optička kutija (ZOK) sa 6 slotova za konektore

Optička kutija za spoljnu montažu sa 6 slotova za konektore za spoljnu montažu, plastična (Mesto za adaptere je predviđeno za 6 SC simplex adaptera ili 6 LC duplex adaptera), termocevičice 6mm x6, vezice. Može maksimalno da se postavi 8 cevčica.

14,28

11,90

**30M providni optički kabl
+ kutije + pigtail konektor**



6311



30M providni optički kabl + kutije + pigtail konektor

Optički kabl, providni, 30m sa plastičnom kutijom. Dolazi sa splajsovanim SC simplex adapterom i termocevičicama 6mm x2.

6,60

5,50

ADAPTERI

NAZIV ARTIKLA	Kat. br.	Karakteristike	CENA EUR (gotovinski)	CENA EUR (racun bez PDV)
<u>SC/APC Simplex adapter, Singlemode</u> 	6000	SC/APC Simplex adapter, Singlemode Adapter optičkog kabla SC/APC Simplex.	0,29	0,24
<u>SC/APC Duplex adapter, Singlemode</u> 	6001	SC/APC Duplex adapter, Singlemode Adapter optičkog kabla SC/APC Duplex.	0,47	0,39
<u>SC/UPC Simplex adapter Single mode</u> 	6305	SC/UPC Simplex adapter Single mode Adapter za optički kabl, SC/UPC Simplex, Singlemode.	0,24	0,20
<u>SC/UPC Duplex adapter Singlemode</u> 	6306	SC/UPC Duplex adapter Singlemode Adapter za optički kab, SC/UPC Duplex, Singlemode.	0,42	0,35

**LC/APC Simplex
adapter, Singlemode**



6003

LC/APC Simplex adapter, Singlemode
Adapter optičkog kabela LC/APC Simplex.

0,32

0,27

**LC/APC Duplex
adapter,Singlemode**



6002

LC/APC Duplex adapter, Singlemode
Adapter optičkog kabela LC/APC Duplex.

0,71

0,59

LC/UPC Simplex adapter
Singlemode




6307

LC/UPC Simplex adapter Singlemode
Adapter za optički kab, LC/UPC Simplex, Singlemode.

0,26

0,22

LC/UPC Duplex adapter
Singlemode




6308

LC/UPC Duplex adapter Singlemode
Adapter za optički kab, LC/UPC Duplex, Singlemode.

0,66

0,55

Brzi konektor LC/UPT



6626

Brzi konektor LC/UPT
Brzi konektor LC/UPC
gubitak u konekciji $\leq 0.2\text{dB}$
Povratni gubitak $\geq 50\text{dB}$

3,72

3,10

SPLITERI

NAZIV ARTIKLA	Kat. br.	Karakteristike	CENA EUR (gotovinski)	CENA EUR (racun bez PDV)
<u>Optički PLC splitter sa LC/APC konektorom 1/2</u>  	6019	Optički PLC splitter sa LC/APC konektorom 1/2 Optički PLC razdelnik sa 2 LC/APC konektora.	5,88	4,90
<u>Optički PLC splitter sa LC/APC konektorom 1/4</u>  	6020	Optički PLC splitter sa LC/APC konektorom 1/4 Optički PLC razdelnik sa 4 LC/APC konektora.	11,88	9,90
<u>Optički PLC splitter sa LC/APC konektorom 1/8</u>  	6021	Optički PLC splitter sa LC/APC konektorom 1/8 Optički PLC razdelnik sa 8 LC/APC konektora.	18,60	15,50
<u>Optički PLC splitter sa LC/APC konektorom 1/16</u>  	6022	Optički PLC splitter sa LC/APC konektorom 1/16 Optički PLC razdelnik sa 16 LC/APC konektora.	25,08	20,90

<u>Optički PLC splitter sa LC/APC konektorom 1/32</u>  	6023	Optički PLC splitter sa LC/APC konektorom 1/32 Optički PLC razdelnik sa 32 LC/APC konektora.	47,88	39,90
<u>Optički PLC splitter sa SC/APC konektorom 1/2</u>  	6024	Optički PLC splitter sa SC/APC konektorom 1/2 Optički PLC razdelnik sa 2 SC/APC konektora.	6,48	5,40
<u>Optički PLC splitter sa SC/APC konektorom 1/4</u>  	6025	Optički PLC splitter sa SC/APC konektorom 1/4 Optički PLC razdelnik sa 4 SC/APC konektora.	13,08	10,90
<u>Optički PLC splitter sa SC/APC konektorom 1/8</u>  	6026	Optički PLC splitter sa SC/APC konektorom 1/8 Optički PLC razdelnik sa 8 SC/APC konektora.	19,08	15,90

**Optički PLC splitter sa
SC/APC konektorom 1/16**



6027

Optički PLC splitter sa SC/APC konektorom 1/16
Optički PLC razdelnik sa 16 SC/APC konektora.

26,28

21,90

**Optički PLC splitter sa
SC/APC konektorom 1/32**



6028

Optički PLC splitter sa SC/APC konektorom 1/32
Optički PLC razdelnik sa 32 SC/APC konektora.

49,80

41,50

MEDIA KONVERTERI

NAZIV ARTIKLA	Kat. br.	Karakteristike	CENA EUR (gotovinski)	CENA EUR (racun bez PDV)
Par Media Konvertera Single fiber (1 vlakno) <u>10/100/1000 Mbps, SM, LC, 20 km.</u>  	6304	Par Media Konvertera Single fiber (1 vlakno) 10/100/1000 Mbps, SM, LC, 20 km. Par media konvertera za optički kabl Single Fiber, 10/100/1000MBPS, SM, LC, 20km Media konverteri dolaze u kompletu sa SFP modulima, jedan SFP modul je žute boje (Tx1550nm/Rx1310nm), drugi SPF modul je plave boje (Tx1310nm/Rx1550nm). Komplet sadrži 2 media konvertera i 2 SFP modula i 2 napajanja 5V/1A	75,48	62,90
Par Media Konvertera Dual Fiber (2 vlakna), <u>10/100/1000 Mbps, SM, LC, 20km</u>  	6044	Par Media Konvertera Dual Fiber (2 vlakna), 10/100/1000 Mbps, SM, LC, 20km Par media konvertera za optički kabl Dual Fiber, 10/100/1000MBPS, SM, LC, 20km Media konverteri dolaze u kompletu sa SFP modulima, oba SPF modula su plave boje (Tx/Rx1310nm). Komplet sadrži 2 media konvertera i 2 SFP modula i 2 napajanja 5V/1A	75,48	62,90

ALATI ZA OPTIČKE KABLOVE

NAZIV ARTIKLA	Kat. br.	Karakteristike	CENA EUR (gotovinski)	CENA EUR (racun bez PDV)
<u>Klešta za blankiranje (3 rupe)</u>  	6041	Klešta za blankiranje (3 rupe) Striper (sekač) za optički kabl sa tri rupe.	6,00	5,00
<u>Alat za skidanje spoljne izolacije</u>  	6042	Alat za skidanje spoljne izolacije Alat za guljenje kosuljice optičkog kabla.	12,00	10,00
<u>Nož za sečenje optičkog vlakna</u>  	6269	Nož za sečenje optičkog vlakna Nož za sečenje optičkog vlakna (kabla) sa korpicom za otpatke.	54,00	45,00
<u>Optički lokator vizuelnih grešaka u obliku olovke</u>  	6045	Optički lokator vizuelnih grešaka u obliku olovke Optički lokator vizuelnih grešaka u obliku olovke. VFL 650nm snaga 10mW. Domet lasera od 8-10km.	17,40	14,50

Olovka za čišćenje
SC/FC/E2000 adaptera i
ferula



6005

Olovka za čišćenje SC/FC/E2000 adaptera i ferula

Olovka za čišćenje optičkih kablova, SC/ST/FC 2.5mm adaptera i ferula, sa preko 800 čišćenja.

32,28

26,90

Optical Power
Meter&Visual fault locator



6046

Optical Power Meter&Visual fault locator

Instrument za merenje optičke snage i vizuelno lociranje greske (prekida) optičkog kabla.

Range: -70dBm do +10dBm
VFL 650nm snaga 10mW (do 10km)

Dimenzije: 19cm x 10cm x 4cm

Težina: 350g

Merenje talasnih dužina (850nm, 980nm,1300nm,1310nm, 1490nm, 1550nm, 1625nm)

51,60

43,00

CCTV HD IPC-5100C Plus
tester kablova 1920x1080



8237

CCTV HD IPC-5100C Plus tester kablova 1920x1080
IPC-5100C Plus

5.4 inch ALL IN ONE CCTV Tester

IPS touch screen, 1920 x 1152px

8MP CVI/ TVI/ AHD kamera tester

Auto HD, automatsko prepoznavanje HD koaksijalnih tipova kamera i rezolucija
IP kamera tester: HIKVISION protocol, Dahua protocol, UNV protocol, Huawei protocol

VGA ulaz , HDMI ulaz

DC12V 3A izlaz , 48V PoE izlaz

Rapid ONVIF, Kreiranje izvestaja, menjanje IP adresa...

RJ45 TDR kabal tester,merenje duzine kabla, merenje kvaliteta kabla, gubljenje signala

Ping, IP scan, Port flash, DHCP server

UTP kabl tester, Digitalni tragac kablova (pile)


Ugradjena Li-on baterija (oko 5h rada)

Dimenzija: 183mmx110xx36.5mm 0,8kg

348,00

290,00

OSTALO

NAZIV ARTIKLA	Kat. br.	Karakteristike	CENA EUR (gotovinski)	CENA EUR (racun bez PDV)
<u>FL118 Uređaj za splajsovanje optičkih kablova</u>  	6629	FL118 Uređaj za splajsovanje optičkih kablova Visoko precizna fuzionna splajserica za FTTH i obična fiber vlakna Tip splajsovanja: SM (loss 0.02dB), MM(loss 0.01dB), DS(loss(0.04dB), NZDS(loss 0.04dB) Modovi: Auto, Polu automatski i ručno Namanjeno za unutrašnje kablove, 0.25mm , 0,9mm optiku Vreme spajanja vlakna: ≤ 9s ; Vreme grejanja ≤ 30s (auto grejanje) Ekran: 5" LCD ekran visoke rezolucije Uvećanje slike 200x Kapacitet baterije 200 splajsovanja i grejanja (ugradjena lithium 5200mAh) Radna temperatura -10°C do +60°C; 0~95 %RH Komplet sadrži: fuzioni splajser, nož za sečenje optičkih kablova, nož za blankiranje optičkih kablova, adapter za napajanje(13,5V / 4,5A), baterija i kabl, rezervne elektrode, kofer za nošenje	1980,00	1650,00
<u>NK6000-T2 OTDR Uređaj za testiranje optičkih kablova</u> 	6900	NK6000-T2 OTDR Uređaj za testiranje optičkih kablova Uređaj se koristi za merenje dužine, gubitka i kvaliteta veze svih vrsta optičkih vlakana i kablova. Ekran na dodir: 5.8" color TFTLCD Dimenzije: 227x160x70mm Tip vlakna: Single mode Talasna dužina: 1310/1550/1625nm Dinamički opseg: 37/35/35dB Mrtva zona: 0.8m Zona slabljenja: 6m Opseg merenja: 500m /1 km /2 km /4 km /8 km /16 km /32 km /64 km /128 km /256km Merenje širine impulsa: 5ns/ 10ns/ 50ns/ 160ns/ 320ns/ 500ns/1000ns/ 5000ns/ 1000ns/ 2000ns Preciznost dometa: ± (0.75m+ Sampling interval +0.005% x Test distance), gubitak ± 0.05dB Preciznost refleksije: ± 3dB Skladištenje podataka: ≥2000 Interfejs: FC/ PC (Zamenljiv SC, ST) Komunikacija: USB, mini-USB, 10M/100M Ethernet VFL izlaz: ≥5mW, LS izlaz: ≥-5dBm	4800,00	4000,00
<u>SC/APC fast konektor</u>  	6004	SC/APC fast konektor Konektor optičkog kabla SC/APC za brzu instalaciju.	1,32	1,10
<u>SC/UPC fast konektor</u>  	6303	SC/UPC fast konektor Konektor, brzi, SC/UPC za optičke kablove.	1,08	0,90

<u>Optički patch panel GPZ/JJ-CLA/SC12</u>  	6006	Optički patch panel GPZ/JJ-CLA/SC12 Patch panel 12 portova (Mesto za adaptere je predviđeno za 12 SC simplex konektora ili 12LC duplex konektora). Dolazi sa metalnim nosačem, termoskupljajućim cevčicama 6mm x24, vezicama, splajs kasetom numerisanom za 24 vlakna. Dolazi bez pigtail i adaptera.	43,20	36,00
<u>Optički patch panel GPZ/JJ-CLA/SC24</u>  	6007	Optički patch panel GPZ/JJ-CLA/SC24 Patch panel 24 portova (Mesto za adaptere je predviđeno za 24 SC simplex konektora ili 24LC duplex konektora, u slučaju da se koristi za 48 vlakna potrebno je dokupiti optičku kasetu za 24 vlakna i 24 termo cevčica), metalni nosači, vezice, termoskupljajuće cevčice 6mm x24, splajs kasete numerisana za 24 vlakna. Dolazi bez pigtail i adaptera.	47,40	39,50
<u>Patch panel fiber 12 CORE sc duplex</u>  	6627	Patch panel fiber 12 CORE sc duplex Dimenzije 482mm x 205mm x 44.4mm Veličina 1Unit Namenjeno za SC Duplex Broj portova 12 Ulaz od 20mm 2kom. Ulaz od 25mm 2kom. Težina 2.5kg Temperatura rada -40°C do +50°C	43,20	36,00
<u>Patch panel fiber 24 CORE sc duplex</u>  	6628	Patch panel fiber 24 CORE sc duplex Dimenzije 482mm x 205mm x 44.4mm Veličina 1Unit Namenjeno za SC Duplex Broj portova 24 Ulaz od 20mm 2kom. Ulaz od 25mm 2kom. Težina 2.5kg Temperatura rada -40°C do +50°C	47,40	39,50

Dome završetak za optički kabl (24 jezgra)



6008

Dome završetak za optički kabl (24 jezgra)

Viseća kutija za spajanje optičkog kabla sa **24 porta**. 4 uvodnika za kablove, nosač, cevčice x24 od 4mm dužine, vezice, dolazi sa 2 kasete za ukupno 24 cevčica.

44,40

37,00

Dome završetak za optički kabl (48 jezgra)



6009

Dome završetak za optički kabl (48 jezgra)

Viseća kutija za spajanje optičkog kabla sa **48 portova**. 4 uvodnika za kablove, nosač, cevčice x48 od 4mm dužine, vezice, dolazi sa 4 kasete za ukupno 24 cevčica.

48,00

40,00

Horizontalni optički Splice završetak 24 jezgra



6010

Horizontalni optički Splice završetak 24 jezgra

Horizontalna kutija za spajanje optičkog kabla sa 24 porta za podzemnu instalaciju. Sa prednje strane ima 3 uvodnika za kabl i sa zadnje strane ima 3 uvodnika za kablove, 1 kasete za 24 termo cevčice, izolir trakom crnom, cevčice 6mm x24 i vezice.

45,60

38,00

Horizontalni optički Splice završetak 48 jezgra




6011

Horizontalni optički Splice završetak 48 jezgra

Horizontalna kutija za spajanje optičkog kabla sa 48 portova za podzemnu instalaciju. Sa prednje strane ima 3 uvodnika za kabl i sa zadnje strane ima 3 uvodnika za kablove, 2 kasete za 48 cevčica, izolir trakom crnom, cevčice 6mm x48 i vezice.

48,00

40,00

<u>Termo cevčice za varenje optičkih kablova</u>  	6029	Termo cevčice za varenje optičkih kablova Termo-skupljajuće cevčice za optičke kablove, za zaštitu spojeva. Dužina: 60 mm	0,07	0,06
<u>Optička kaseta 12 jezgara</u>  	6030	Optička kaseta 12 jezgara Optička kaseta za 12 vlakana, plastična.	1,80	1,50
<u>Optička kaseta 24 jezgra</u>  	6031	Optička kaseta 24 jezgra Optička kaseta sa 24 vlakana, plastična.	2,28	1,90
<u>Stezaljka za optičke kablove 6/12FO</u>  	6625	Stezaljka za optičke kablove 6/12FO Stezaljka za optičke kablove 6/12FO unutrašnja i spoljašnja upotreba Dužina stezaljke 186,08mm Širina 20,18mm Debljina sajle Ø2mm Nerđajući materijal	0,96	0,80